

Install Portainer CE with Docker on Linux

Link: <https://docs.portainer.io/start/install-ce/server/docker/linux>

Introduction

Portainer consists of two elements, the Portainer Server, and the Portainer Agent. Both elements run as lightweight Docker containers on a Docker engine. This document will help you install the Portainer Server container on your Linux environment. To add a new Linux environment to an existing Portainer Server installation, please refer to the Portainer Agent installation instructions.

To get started, you will need:

- The latest version of Docker installed and working. We recommend following the official installation instructions for Docker - in particular, we advise against installing Docker via snap on Ubuntu distributions as you may run into compatibility issues.
- sudo access on the machine that will host your Portainer Server instance;
- By default, Portainer Server will expose the UI over port 9443 and expose a TCP tunnel server over port 8000. The latter is optional and is only required if you plan to use the Edge compute features with Edge agents.

The installation instructions also make the following assumptions about your environment:

- Your environment meets our requirements. While Portainer may work with other configurations, it may require configuration changes or have limited functionality.
- You are accessing Docker via Unix sockets. Alternatively, you can also connect via TCP.
- SELinux is disabled on the machine running Docker. If you require SELinux, you will need to pass the `--privileged` flag to Docker when deploying Portainer.
- Docker is running as root. Portainer with rootless Docker has some limitations, and requires additional configuration.

Deployment

First, create the volume that Portainer Server will use to store its database:

```
docker volume create portainer_data
```

Then, download and install the Portainer Server container:

```
docker run -d -p 8000:8000 -p 9443:9443 --name portainer --  
restart=always -v /var/run/docker.sock:/var/run/docker.sock -v  
portainer_data:/data portainer/portainer-ce:2.21.0
```

By default, Portainer generates and uses a self-signed SSL certificate to secure port 9443. Alternatively you can provide your own SSL certificate during installation or via the Portainer UI after installation is complete.

If you require HTTP port 9000 open for legacy reasons, add the following to your docker run command:

-p 9000:9000

Portainer Server has now been installed. You can check to see whether the Portainer Server container has started by running `docker ps`:

```
root@server:~# docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED
STATUS	PORTS		
NAMES			
de5b28eb2fa9	portainer/portainer-ce:2.21.0	"/portainer"	2 weeks ago
Up 9 days	0.0.0.0:8000->8000/tcp, :::8000->8000/tcp, 0.0.0.0:9443->9443/tcp, :::9443->9443/tcp	portainer	

Logging In

Now that the installation is complete, you can log into your Portainer Server instance by opening a web browser and going to:

<https://localhost:9443>

Replace `localhost` with the relevant IP address or FQDN if needed, and adjust the port if you changed it earlier.

You will be presented with the initial setup page for Portainer Server.

Revision #1

Created 6 September 2024 00:26:28 by Administrador

Updated 6 September 2024 00:36:44 by Administrador