

Dicas problemas de configurações

Link: <https://github.com/baptisteArno/typebot.io/issues/942>

Procedimentos extraídos de listas do typebot sobre dificuldades de instalações.

Cannot get SMTP config to send email #942

baptisteArno commented on Oct 17, 2023 •

Probably an issue with the single quote on `NEXT_PUBLIC_SMTP_FROM`

My config with Sendinblue:

```
SMTP_USERNAME=baptiste@typebot.io
SMTP_PASSWORD=...
SMTP_HOST=smtp-relay.sendinblue.com
SMTP_PORT=587
NEXT_PUBLIC_SMTP_FROM="'Typebot Notifications' <notifications@typebot.io>"
```

MAS-CreativeLabs commented on Nov 12, 2023

I apologize for the delayed reply, I was on a trip. her's my configuration: I'm hosting typebot on a Synology NAS with a reverse proxy (the same exact test machine I use for all my docker in my testing environment. I used portainer for the deployment of typebot and I followed the instructions from the official documentation.

Docker compose file :

```
`version: '3.3'
```

```
volumes:
```

```
db-data:
```

```
services:
```

```
typebot-db:
```

```
image: postgres:14-alpine
```

restart: always
volumes:
- db-data:/var/lib/postgresql/data

```
environment:  
  - POSTGRES_DB=typebot  
  - POSTGRES_PASSWORD=typebot
```

typebot-builder:
image: baptistearno/typebot-builder:latest
restart: always
depends_on:
- typebot-db
ports:
- '8080:3000'
extra_hosts:
- 'host.docker.internal:host-gateway'
env_file: stack.env

typebot-viewer:
image: baptistearno/typebot-viewer:latest
restart: always
ports:
- '8081:3000'
env_file: stack.env`

.env file:

`ENCRYPTION_SECRET=XXXXXXXXXXXXXXXXXXXXXXXXXXXXX

DATABASE_URL=postgresql://postgres:typebot@typebot-db:5432/typebot

NEXTAUTH_URL=<https://typebot.mydonmain.com>

NEXT_PUBLIC_VIEWER_URL=<https://bot.mydonmain.com>

ADMIN_EMAIL=XXXXXX@gmail.com

NEXTAUTH_URL_INTERNAL=<http://localhost:3000>

DEFAULT_WORKSPACE_PLAN=UNLIMITED

DISABLE_SIGNUP=false

NEXT_PUBLIC_BOT_FILE_UPLOAD_MAX_SIZE=250

SMTP_USERNAME=XXXXXX@XXXXX.com

SMTP_PASSWORD=XXXXXXXXXXXXXXXXXXXX

SMTP_HOST=ssl0.ovh.net

SMTP_PORT=465

SMTP_SECURE=true

NEXT_PUBLIC_SMTP_FROM="'Typebot Notifications' XXXXXX@XXXXX.com"

GOOGLE_CLIENT_ID=XXXXXXXXXX-
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX.apps.googleusercontent.com

GOOGLE_CLIENT_SECRET=XXXXXX-XXXXXXXXXX_XXXXX

GITHUB_CLIENT_ID=XXXXXXXXXXXXXXXXXXXXXXXXXXXX

GITHUB_CLIENT_SECRET=XXXXXXXXXXXXXXXXXXXXXXXXXXXX

FACEBOOK_CLIENT_ID=XXXXXXXXXXXXXXXXXXXX

FACEBOOK_CLIENT_SECRET=XXXXXXXXXXXXXXXXXXXXXXXXXXXX

NEXT_PUBLIC_GIPHY_API_KEY=XXXXXXXXXXXXXXXXXXXX

NEXT_PUBLIC_UNSPASH_APP_NAME=Typebot

NEXT_PUBLIC_UNSPASH_ACCESS_KEY=XXXXXXXXXXXXXXXXXXXX

Obs: Para funcionar no laboratório nestas configurações foi apontado o NEXTAUTH_URL e NEXT_PUBLIC_VIEWER_URL para o mesmo endereço de viewer.

Revision #1

Created 13 September 2024 11:26:45 by Administrador

Updated 13 September 2024 11:36:21 by Administrador