

# Dicas problemas de configurações

Link: <https://github.com/baptisteArno/typebot.io/issues/942>

Procedimentos extraídos de listas do typebot sobre dificuldades de instalações.

## Cannot get SMTP config to send email #942

**baptisteArno** commented on Oct 17, 2023 •

Probably an issue with the single quote on `NEXT_PUBLIC_SMTP_FROM`

My config with Sendinblue:

```
SMTP_USERNAME=baptiste@typebot.io
SMTP_PASSWORD=...
SMTP_HOST=smtp-relay.sendinblue.com
SMTP_PORT=587
NEXT_PUBLIC_SMTP_FROM="'Typebot Notifications' <notifications@typebot.io>"
```

**MAS-CreativeLabs** commented on Nov 12, 2023

I apologize for the delayed reply, I was on a trip. her's my configuration: I'm hosting typebot on a Synology NAS with a reverse proxy (the same exact test machine I use for all my docker in my testing environment. I used portainer for the deployment of typebot and I followed the instructions from the official documentation.

## Docker compose file :

```
`version: '3.3'
```

```
volumes:
```

```
db-data:
```

```
services:
```

```
typebot-db:
```

```
image: postgres:14-alpine
```

restart: always  
volumes:  
- db-data:/var/lib/postgresql/data

```
environment:  
  - POSTGRES_DB=typebot  
  - POSTGRES_PASSWORD=typebot
```

typebot-builder:  
image: baptistearno/typebot-builder:latest  
restart: always  
depends\_on:  
- typebot-db  
ports:  
- '8080:3000'  
extra\_hosts:  
- 'host.docker.internal:host-gateway'  
env\_file: stack.env

typebot-viewer:  
image: baptistearno/typebot-viewer:latest  
restart: always  
ports:  
- '8081:3000'  
env\_file: stack.env`

## .env file:

`ENCRYPTION\_SECRET=XXXXXXXXXXXXXXXXXXXXXXXXXXXX`

DATABASE\_URL=postgresql://postgres:typebot@typebot-db:5432/typebot

NEXTAUTH\_URL=<https://typebot.mydonmain.com>

NEXT\_PUBLIC\_VIEWER\_URL=<https://bot.mydonmain.com>

ADMIN\_EMAIL=[XXXXX@gmail.com](mailto:XXXXX@gmail.com)

NEXTAUTH\_URL\_INTERNAL=<http://localhost:3000>

DEFAULT\_WORKSPACE\_PLAN=UNLIMITED

DISABLE\_SIGNUP=false

NEXT\_PUBLIC\_BOT\_FILE\_UPLOAD\_MAX\_SIZE=250

SMTP\_USERNAME=XXXXXX@XXXXX.com

SMTP\_PASSWORD=XXXXXXXXXXXXXXXXXXXX

SMTP\_HOST=ssl0.ovh.net

SMTP\_PORT=465

SMTP\_SECURE=true

NEXT\_PUBLIC\_SMTP\_FROM="'Typebot Notifications' XXXXXX@XXXXX.com"

GOOGLE\_CLIENT\_ID=XXXXXXXXXX-  
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX.apps.googleusercontent.com

GOOGLE\_CLIENT\_SECRET=XXXXXX-XXXXXXXXXX\_XXXXX

GITHUB\_CLIENT\_ID=XXXXXXXXXXXXXXXXXXXXXXXXXXXX

GITHUB\_CLIENT\_SECRET=XXXXXXXXXXXXXXXXXXXXXXXXXXXX

FACEBOOK\_CLIENT\_ID=XXXXXXXXXXXXXXXXXXXX

FACEBOOK\_CLIENT\_SECRET=XXXXXXXXXXXXXXXXXXXXXXXXXXXX

NEXT\_PUBLIC\_GIPHY\_API\_KEY=XXXXXXXXXXXXXXXXXXXX

NEXT\_PUBLIC\_UNSPASH\_APP\_NAME=Typebot

NEXT\_PUBLIC\_UNSPASH\_ACCESS\_KEY=XXXXXXXXXXXXXXXXXXXX

**Obs: Para funcionar no laboratório nestas configurações foi apontado o NEXTAUTH\_URL e NEXT\_PUBLIC\_VIEWER\_URL para o mesmo endereço de viewer.**

---

Revision #1

Created 13 September 2024 11:26:45 by Administrador

Updated 13 September 2024 11:36:21 by Administrador